



CANADA'S INTEGRATED STRATEGY FOR RADIOACTIVE WASTE

Technical Workshop

2021






WELCOME

AGENDA

- 1. Welcome
- 2. Presentation of background information
- 3. Q+A
- 4. Technical Assessment
- 5. Q+A
- 6. Workshop discussion
- 7. Closing












ISRW PROJECT

In November 2020, the Minister of Natural Resources Canada asked the NWMO to lead the development of an **integrated strategy on radioactive waste (ISRW)**

- Radioactive waste safely managed today
- Several long-term plans and projects exist
- Some gaps exist
- This strategy represents a next step











FOCUS IS ON GAPS IN EXISTING PLANS

NO GAPS:


- High level radioactive waste a long-term plan is in place through the NWMO's DGR project
- Uranium mine and mill waste disposal facilities are in operation

GAPS:

- Some long-term planning is underway for low-level radioactive waste, but several gaps exist
- No long-term management plans in place for any of Canada's intermediate-level waste - this is also a gap in the system.













WHAT WILL IT INCLUDE?



Taking Stock of Current Waste Management Situation



Engaging on Options to Address the Gaps



Making
Recommendations for
Long-Term
Management Solutions

TIMELINE

- NRCan Asks NWMO to Develop ISRW Planning Process
 - Summit
 - Outreach
 - Engagement with Youth
 - Community Engagement
 - What We Heard Report



- What We Heard Report
- Review
- Analysis



FALL 2020

WINTER 2021

SPRING 2021

SUMMER 2021

FALL 2021

WINTER 2021/2022







- Research
- Launch Website
- Seek Input on **Process Design**



- Indigenous Engagement
- Survey
- Roundtables
- Technical Workshops



 Submit **ISRW**

ENGAGEMENT FOCUS

Principles

- Indigenous
 Engagement
- Community
 Engagement
- Summit
- Survey

Trade-offs

- Indigenous
 Engagement
- Community
 Engagement
- Roundatables
- Survey

Responsibility

- Indigenous
 Engagement
- Community
 Engagement
- Roundtables

Technical

Technical Workshops

A Cost Report is being prepared and will be available on the ISRW website www.radwasteplanning.ca







Informed by the best available knowledge

Environment is protected



Security must be ensured

GUIDING PRINCIPLES



Respect Indigenous rights and treaties



Be transparent and inform and engage the public



Make use of **existing projects**





Meets or exceeds regulatory requirements

GUIDING PRINCIPLES – FULL TEXT

- 1. The Strategy must have **safety as the overarching principle** guiding its development and implementation. Safety, including the protection of **human health**, must not be compromised by other considerations.
- 2. The Strategy must ensure the security of facilities, materials, infrastructure and information.
- 3. The Strategy must ensure that the **environment** is protected, including the protection of the air, water, soil, wildlife and habitat.
- 4. The Strategy must be developed and implemented to **meet or exceed regulatory requirements** for the protection of health, safety and the security of people and the environment.
- 5. The Strategy must be informed by the **best available knowledge**. This includes Indigenous Traditional Knowledge, science, social science, local knowledge, and international best-practices. Ensuring that **Traditional Knowledge** and ways of life are interwoven throughout is important for a strong Strategy. This includes knowledge about the land and environment. It also includes values and principles about developing and maintaining effective and meaningful relationships.
- 6. The Strategy must respect Indigenous rights and Treaties and consider that there may be unresolved claims between Indigenous peoples and the Crown.
- 7. The Strategy must be developed in a transparent manner that informs and engages the public, including youth and Indigenous peoples. It is important to proactively provide easily understandable information to those most likely to be affected by implementation of the Strategy. Questions and concerns must be heard, acknowledged and addressed. Information used to develop the Strategy will be readily available to the public.
- 8. The Strategy must be developed and implemented in a **fiscally responsible** way to ensure that the cost of the project does not become a burden to current electricity ratepayers, taxpayers or future generations.
- 9₁₀ Where possible, the Strategy should **make use of existing projects** for the long-term management of Canada's nuclear waste.




FOCUS TODAY:

LOW LEVEL WASTE

Uranium Mine & Mill Waste	Low Level Waste	Intermediate Level Waste	High Level Waste
Tailings and waste rock generated by the mining and milling of uranium ore	Mop heads, rags and paper towels. Medical Isotopes	Filters, resins and used reactor components Medical / Industrial Sources	Primarily used nuclear fuel
No Heat Generated	No Heat Generated	No or Little Heat Generated	Significant Heat Generated
Long-lived radioactivity does not decrease significantly over extended time periods	Isolation and containment up to a few hundred years (less than 300 years)	isolation and containment for periods greater than several hundred years	Isolation and containment Hundreds of thousands of years
Near Surface Repository	Near Surface Repository	Deep Geological Repository (DGR)	Deep Geological Repository (DGR)
Only practical option for these wastes, given the large volumes of waste generated	More radioactive than clearance levels & exemption quantities	Generally requires a higher level of containment and isolation than can be provided in near surface repositories.	Significant quantities of long-lived radionuclides necessitating long-term isolation

LLW Volumes- No Long-Term Plans




Canadian I & LLW with no current long-term management plans (current and anticipated)

Reference: Report on Technical Options Figure 3.2

LLW Volumes- No Long-Term Plans


Waste Owners	LLW Volume m ³	Percentage of Total LLW
OPG	270,000	91.83%
Hydro Québec	18,000	6.12%
NB Power	2,270	0.77%
Cameco	2,000	0.68%
Other	1,740	0.59%



Reference: Report on Technical Options Figure 3.2

Canadian LLW with no current long-term management plans (current and anticipated)


L&ILW With No Current Long-Term Plans



Reference: Technical Options Report Figure 4.1: Lifecycle L&ILW with No Current Long-Term Management Plans Organized by Radioactive Classification

% LLW Volume by Physical Configuration

Characteristic	Percentage of Total LLW Waste
Container	72.3 %
Large Object Irregular	16.1 %
Bulk Material	6.2 %
Unpackaged	3.7 %
Drum	1.7 %



Reference: Report on Technical Options Figure 4-2 Page 18



Q&A




TECHNICAL ASSESSMENT

Assumptions – Technical Options Report

- 1. All liquid waste assumed to be solidified.
- 2. Unless quantified by the waste owner, additional decontamination and volume reduction practices were not assumed in this study.
- 3. Projected operational waste assumed to be packaged in same physical configuration as existing waste of same source.
- 4. All long-term management options can accept nuclear waste with non-nuclear hazardous properties
- 5. Waste owner inventory volumes have been rounded, given the level of uncertainty present at this time.












Potential Technical Options Considered

- 1. Engineered Containment Mound
- 2. Concrete Vault
- 3. Shallow Rock Cavern
- 4. Deep Geological Repository
- 5. Deep Borehole
- 6. Rolling Stewardship











MATRIX OF APPLICABILITY

Y

APPLICABLE and RECOMMENDED for the allocated waste group.

Y2

MAY BE APPLICABLE to the waste group but is NOT PREFERRED or requires further study.

Y3

CONCEPTUALLY FEASIBLE but, after considering risk factors, is IMPRACTICAL.


N


NOT SUITABLE for the allocated waste group.




LLW Grouping

- 1. LLW Bulk Material
- 2. LLW Other







REPOSITORYTYPE	LLW BULK MATERIAL	LLW OTHER	
Engineered Containment Mound	Y	Y2	
Concrete Vault	Y2	Y	
Shallow Rock Cavern	Y2	Y	
Deep Geological Repository	Y3	Y2	
Deep Borehole	N	N	
Rolling Stewardship	Y3	Y3	

REPOSITORYTYPE	LLW BULK MATERIAL	LLW OTHER	
Engineered Containment Mound	Y	Y2	
Concrete Vault	Y2	Y	
Shallow Rock Cavern	Y2	Y	
Deep Geological Repository	Y3	Y2	
Deep Borehole	N	N	
Rolling Stewardship	Y3	Y3	

REPOSITORYTYPE	LLW BULK MATERIAL	LLW OTHER	
Engineered Containment Mound	Y	Y2	
Concrete Vault	Y2	Υ	
Shallow Rock Cavern	Y2	Y	
Deep Geological Repository	Y3	Y2	
Deep Borehole	N	N	•
Rolling Stewardship	Y3	Y3	




LLW Technical Options – Ranked Order

- 1. Engineered Containment Mound
- 2. Concrete Vault (tied with Shallow Rock Cavern)
- 3. Shallow Rock Cavern (tied with Concrete Vault)
- 4. Deep Geological Repository
- 5. Rolling Stewardship (not a disposal option)












OBJECTIVE

Obtain the feedback of participants on the order of the recommendations













Q&A



DISCUSSION

GUIDELINES FOR PRODUCTIVE SESSION



Suspend judgment, challenge your own assumptions



Recognize and respect diverse perspectives



Look for common ground



Share the air time



Listen to understand

POINTS OF DISCUSSION

- With which aspects of the report do you agree?
- With which aspects of the report do you disagree?
 - Are there technical options that have been eliminated that should be brought back, and why
- What is missing from the report?
- Based on our discussion, does the Order of Recommendations still stand?



LLW – ASSUMPTIONS

- Points of Agreement & Why
- Points of Disagreement & Why
- Anything Missing from the Report
- Other











Assumptions – Technical Options Report

- 1. All liquid waste assumed to be solidified.
- 2. Unless quantified by the waste owner, additional decontamination and volume reduction practices were not assumed in this study.
- 3. Projected operational waste assumed to be packaged in same physical configuration as existing waste of same source.
- 4. All long-term management options can accept nuclear waste with non-nuclear hazardous properties
- 5. Waste owner inventory volumes have been rounded, given the level of uncertainty present at this time.












LLW - RECOMMENDED OPTIONS

- Points of Agreement & Why
- Points of Disagreement & Why
- Anything Missing from the Report
- Other











REPOSITORYTYPE	LLW BULK MATERIAL	LLW OTHER	
Engineered Containment Mound	Y	Y2	
Concrete Vault	Y2	Y	
Shallow Rock Cavern	Y2	Y	
Deep Geological Repository	Y3	Y2	
Deep Borehole	N	N	
Rolling Stewardship	Y3	Y3	



LLW – TECHNICAL REPORT OTHER

- Points of Agreement & Why
- Points of Disagreement & Why
- Anything Missing from the Report
- Other











LLW – ORDER OF RECOMMENDATIONS

- 1. Engineered Containment Mound
- 2. Concrete Vault (tied with Shallow Rock Cavern)
- 3. Shallow Rock Cavern (tied with Concrete Vault)
- 4. Deep Geological Repository
- 5. Rolling Stewardship (not a disposal option)

Based on our discussion today, does the order still stand?



CLOSING

GET INVOLVED



Register for updates



Make a formal submission



Learn More



Take our Survey

www.radwasteplanning.ca



Log In Français



Help us create a safe, integrated, long-term strategy for radioactive waste in

Share your thoughts on the best options to ensure all of Canada's radioactive waste is managed safely, responsibly, and effectively long after we're gone

Canada is setly managing its radioactive water today and already has several long-deminant and projects in place. However, there are consistent again addressing or certain steams, specifically between left infermedable-well indicactive water, the radio integrated, por jet ment partial profit intermedable several indicactive water. In the partial integrated, por jet ment partial profit intermediates well indicactive water. In the partial integrated profit in the partial profit in

We are planning a series of interactive, accessible and collaborative engagements that welcome a diversity of voices. Your thoughts and perspective play an important role in identifying the best approach to ensure all of Canada's radioactive waste is managed safely, responsibly and effectively long after we're gone.

Join us as we explore what's most important to Canadians and Indigenous peoples on this topic and help us shape Canada's strategy. See the timeline.

Participate by completing our survey on ISRW

Stay Informed

Follow us on Twitter: @RadWastePlan

Register to receive news and invitations

Current participation opportunities



Public Engagement on the Integrated Strategy for Radioactive Waste

Look here for information on upcoming live events as well a record of past events



Canadian Radioactive Waste Summit

Learn more about the Canadian Radioactive Waste Summit.



Indigenous Relations

We are committed to long-lasting relationships with indigenous peoples built upon communication, transparency, respect and reconciliation. We will engage with indigenous peoples on the Integrated Strategy on Radioactive Waste (ISRW), and ensure all participants are provided the opportunity to provide input and advice.



What Would You Like to Discuss?

To help inform our engagement plans, please tell us what you would like to discuss



Learn More

Frequently asked questions and answers



Privacy Cookies Terms of Use NWMO Community Guidelines Contact Us

